UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,079,283 B2 APPLICATION NO. : 09/966251

DATED : July 18, 2006

INVENTOR(S) : Naoji Otsuka et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 1 of 3

ON COVER PAGE AT (*) NOTICE

"This patent is subject to a terminal disclaimer." should be deleted.

ON COVER PAGE AT (30) FOREIGN APPLICATION PRIORITY DATA

"2000/300185" should read --2000-300185--.

COLUMN 2

Line 17, "use independent two" should read --using two independent--;

Line 35, "print" should read --printed--;

Line 36, "provide" should read --provides--; and

Line 63, "above" should read --above- --.

COLUMN 4

Line 38, "above described" should read --above-described--;

Line 53, "to" should read --for--;

Line 54, "patter" should read --pattern--; and

Line 58, "one of" should read -- one or--.

COLUMN 6

Line 20, "above described" should read --above-described--;

Line 41, "nozzle," should read --nozzles,--;

Line 44, "has" should read -- has been--; and

Line 65, "ink" should read --inks--.

COLUMN 7

Line 27, "covert" should read --convert--; and

Line 44, "to" should read --with--.

COLUMN 8

Line 55, "these" should read --this--; and

Line 59, "wording" should read --working--.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

: 7,079,283 B2

Page 2 of 3

APPLICATION NO. : 09/966251

DATED

: July 18, 2006

INVENTOR(S)

: Naoji Otsuka et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9

Line 7, "sensors 234" should read --sensor 234--;

Line 17, "(election" should read --(ejection--;

Line 37, "first recording heading" should read --ejecting--; and

Line 42, "(M2)" should read --(C2)--.

COLUMN 10

Line 60, "cyan." should read --cyan head.--; and

Line 66, "are" should be deleted.

COLUMN 11

Line 4, "the M1" should read --M1--;

Line 15, "present" should read -- the present--;

Line 18, "and" should be deleted;

Line 45, "he" should be deleted:

Line 47, "write" should read --writes--;

Line 58, "used" should read --use--; and

Line 61, "becomes" should read --become--.

COLUMN 12

Line 52, "be" should be deleted.

COLUMN 13

Line 15, "In the Figure, (b)," should read -- The Figure (b)--.

COLUMN 14

Line 15, "nozzle" should read --nozzles--; and

Line 62, "satisfactory" should read --satisfactorily--.

COLUMN 15

Line 14, "apparatuses" should read --apparatus--; and

Line 54, "above described" should read -- above-described--.

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 7,079,283 B2

Page 3 of 3

DATED

APPLICATION NO. : 09/966251 : July 18, 2006

INVENTOR(S)

: Naoji Otsuka et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 16

Line 21, "above described" should read --above-described--;

Line 59, "that pair" should read --that a pair--; and

Line 65, "The printing the defective" should read -- Printing is effected--.

COLUMN 17

Line 28, "applied" should read --applies--;

Line 57, "above described" should read --above-descibed--; and

Line 61, "above described" should read --above-descibed--.

Signed and Sealed this

Thirteenth Day of February, 2007

JON W. DUDAS Director of the United States Patent and Trademark Office